

Clinical Assessment of Depression™ (CAD™)

Score Report

by

Bruce Bracken, PhD, Karen Howell, PhD,
and
PAR Staff

Client Information

Name:	Sample Client
Client ID:	123-456-789
Gender:	Female
Age:	33
Education:	12 years
Test Date:	10/19/2004

Use of this score report requires a complete understanding of the *Clinical Assessment of Depression* (CAD) scales and its interpretation, applications, and limitations as presented in the CAD Professional Manual. This report contains raw and standardized scores from the CAD Rating Form. Users should refer to the CAD Professional Manual for procedures and guidelines for the interpretation of this report. Users also should refer to the Professional Manual for information about the psychometric characteristics of the CAD.

This report should be used as only one source of information about the individual being evaluated. In this respect, no decisions should be based solely on the information contained in this report. The raw and standardized scores contained in this report should be integrated with other sources of information when making decisions about this individual.

This report is confidential and is intended for use by qualified professionals who have sufficient knowledge of psychometric testing and of the CAD. *This report should not be released to the respondent or to any individuals who are not qualified to interpret the results.*

**PAR Psychological Assessment Resources, Inc. • 16204 North Florida Ave. • Lutz, FL 33549 • 1.800.331.8378 •
www.parinc.com**

Copyright ©1994, 1996, 1997, 1999, 2000, 2004 by Psychological Assessment Resources, Inc. All rights reserved. May not be reproduced in whole or in part in any form or by any means without written permission of Psychological Assessment Resources, Inc.

Version: 1.00.015

CAD Symptom Scales

Scale	Raw score	T score	%ile	90% C.I.	Qualitative classification
Depressed Mood (<i>DM</i>)	62	78	99	74 - 82	SCR
Anxiety/Worry (<i>AW</i>)	34	76	99	70 - 82	SCR
Diminished Interest (<i>DI</i>)	13	59	86	53 - 65	NR
Cognitive and Physical Fatigue (<i>CPF</i>)	26	66	95	60 - 72	MCR
CAD Total Scale (<i>CAD TS</i>)	135	75	99	72 - 78	SCR

Note. NR: Normal range, MCR: Mild clinical risk, SCR: Significant clinical risk, VSCR: Very significant clinical risk.

CAD Validity Scales

Scale	Classification
Inconsistency (<i>IN</i>)	Typical
Infrequency (<i>IF</i>)	Typical
Negative Impression (<i>NI</i>)	Typical

CAD Critical Item Clusters

Hopelessness

Item	Response
10. [Item text was removed from this report for sample purposes.]	Agree
12.	Agree
25.	Disagree
26.	Agree
28.	Disagree

Self-Devaluation

Item	Response
9.	Strongly Disagree
14.	Agree
27.	Strongly Agree
37.	Strongly Disagree
40.	Strongly Agree

Sleep/Fatigue

Item	Response
16.	Agree
31.	Agree
42.	Strongly Disagree

Note. Bold print denotes an extreme response and increased clinical risk, which clinicians may wish to investigate further.

Failure

Item	Response
20.	Agree
33.	Strongly Agree
37.	Strongly Disagree

Worry


Item	Response
11.	Strongly Agree
24.	Agree
46.	Strongly Agree

Nervous


Item	Response
2.	Strongly Agree
3.	Disagree
35.	Disagree

Note. Bold print denotes an extreme response and increased clinical risk, which clinicians may wish to investigate further.

CAD T-Score Profile



CAD Percentile Profile



Item Responses

Item#	Response	Item#	Response
1.	2	26.	3
2.	4	27.	4
3.	2	28.	2
4.	3	29.	2
5.	3	30.	1
6.	3	31.	3
7.	4	32.	3
8.	2	33.	4
9.	1	34.	3
10.	3	35.	2
11.	4	36.	2
12.	3	37.	1
13.	3	38.	3
14.	3	39.	2
15.	2	40.	4
16.	3	41.	2
17.	4	42.	1
18.	2	43.	3
19.	1	44.	3
20.	3	45.	2
21.	3	46.	4
22.	2	47.	2
23.	4	48.	4
24.	3	49.	2
25.	2	50.	1