

EDI-3 Score Report

by
David M. Garner, PhD
and PAR Staff

Client Information

Name: Sample Client

Test Date: 10/20/2004

Client ID: SAM 1

Age: 21

Gender: Female

Marital Status: Married

Normative Group: AN-B/P U.S. Clinical Sample 18 and Over

Present Weight: 94 pounds

Height: 5 feet 1 inches

BMI: 17.8

Highest past adult weight: 125 pounds

How long ago? 15 months

How long at this weight? 24 months

Lowest past adult weight: 103 pounds

How long ago? 6 months

How long at this weight? 8 months

Ideal Weight: 112 pounds

Age at which weight problems (if any) began: 18 years old

EDI-3 Validity Scales

Scale	Classification
Inconsistency (<i>IN</i>)	Typical
Infrequency (<i>IF</i>)	Typical
Negative Impression (<i>NI</i>)	Typical

EDI-3 Eating Disorder Risk Scales and Composite Scores

Scale	Raw score	T score	%ile	Qualitative classification
Drive for Thinness (<i>DT</i>)	14	40	16	Low Clinical
Bulimia (<i>B</i>)	15	52	57	Typical Clinical
Body Dissatisfaction (<i>BD</i>)	19	41	21	Low Clinical
Eating Disorder Risk Composite (<i>EDRC</i>)	133	42	19	Low Clinical


EDI-3 Psychological Scale Scores

Scale	Raw score	T score	%ile	Qualitative classification
Low Self-Esteem (<i>LSE</i>)	13	50	48	Typical Clinical
Personal Alienation (<i>PA</i>)	17	55	69	Elevated Clinical
Interpersonal Insecurity (<i>II</i>)	13	52	59	Typical Clinical
Interpersonal Alienation (<i>IA</i>)	13	55	68	Elevated Clinical
Interoceptive Deficits (<i>ID</i>)	16	49	47	Typical Clinical
Emotional Dysregulation (<i>ED</i>)	13	58	80	Elevated Clinical
Perfectionism (<i>P</i>)	15	52	56	Typical Clinical
Asceticism (<i>A</i>)	18	59	81	Elevated Clinical
Maturity Fears (<i>MF</i>)	17	59	81	Elevated Clinical


EDI-3 Psychological Composite Scores

Scale	Raw score	T score	%ile	Qualitative classification
Ineffectiveness Composite (<i>IC</i>)	105	52	56	Typical Clinical
Interpersonal Problems Composite (<i>IPC</i>)	107	53	62	Typical Clinical
Affective Problems Composite (<i>APC</i>)	107	53	66	Typical Clinical
Overcontrol Composite (<i>OC</i>)	111	56	71	Elevated Clinical
Global Psychological Maladjustment Composite (<i>GPMC</i>)	489	55	70	Elevated Clinical

EDI-3 T-Score Profile



EDI-3 Percentile Profile



Note. Adult Combined Clinical Group: Low Clinical range = 1st - 24th %ile; Typical Clinical range = 25th - 66th %ile; Elevated Clinical range = 67th - 99th %ile.

EDI-2 Raw Scores

Scale	Raw score
Drive for Thinness (<i>DT</i>)	7
Bulimia (<i>B</i>)	5
Body Dissatisfaction (<i>BD</i>)	8
Ineffectiveness (<i>I</i>)	12
Perfectionism (<i>P</i>)	9
Interpersonal Distrust (<i>ID</i>)	6
Interoceptive Awareness (<i>IA</i>)	9
Maturity Fears (<i>MF</i>)	9
Asceticism (<i>A</i>)	12
Impulse Regulation (<i>IR</i>)	7
Social Insecurity (<i>SI</i>)	10

Item Responses

Item#	Response	Item#	Response	Item#	Response
1.	S	31.	S	61.	O
2.	U	32.	O	62.	O
3.	O	33.	O	63.	O
4.	U	34.	S	64.	U
5.	O	35.	S	65.	S
6.	O	36.	O	66.	O
7.	S	37.	S	67.	S
8.	S	38.	S	68.	U
9.	S	39.	S	69.	O
10.	S	40.	S	70.	S
11.	O	41.	U	71.	S
12.	R	42.	S	72.	S
13.	O	43.	U	73.	R
14.	U	44.	O	74.	O
15.	S	45.	S	75.	U
16.	U	46.	S	76.	R
17.	S	47.	O	77.	O
18.	O	48.	O	78.	U
19.	S	49.	U	79.	O
20.	S	50.	S	80.	N
21.	O	51.	O	81.	O
22.	S	52.	U	82.	U
23.	S	53.	S	83.	U
24.	U	54.	S	84.	O
25.	S	55.	R	85.	O
26.	S	56.	O	86.	O
27.	U	57.	R	87.	S
28.	O	58.	R	88.	O
29.	U	59.	S	89.	S
30.	S	60.	O	90.	S
				91.	S

Note: Bold denotes an item score of 4.