

Score Report

by

John Briere, PhD

and

PAR Staff

Client Information

Child's Name: Sample Client

Client ID: 1234-5678

Child's Gender: Male

Child's Race: Hispanic

Child's Age: 4

Child's Living Situation: Home

Rater's Name: Rater Client

Test Form: TSCYC

Test Date: 06/21/2005

Use of this score report requires a complete understanding of the *Trauma Symptom Checklist for Young Children* (TSCYC) scales and its interpretation, applications, and limitations as presented in the TSCYC Professional Manual. This report contains raw and standardized scores from the TSCYC Item Booklet. Users should refer to the TSCYC Professional Manual for procedures and guidelines for the interpretation of this report. Users also should refer to the Professional Manual for information about the psychometric characteristics of the TSCYC.

This report should be used as only one source of information about the individual being evaluated. In this respect, no decisions should be based solely on the information contained in this report. The raw and standardized scores contained in this report should be integrated with other sources of information when making decisions about this individual.

This report is confidential and is intended for use by qualified professionals who have sufficient knowledge of psychometric testing and of the TSCYC. *This report should not be released to the respondent or to any individuals who are not qualified to interpret the results.*

Caretaker Information

Rater's Gender:	Female	
Rater's Relationship to Child:	Biological parent	
Does the Child Live With the Rater?:	Yes	
Length of Time Child Has Lived With the Rater:	3 years 0 months	
Number of Nonsleeping Hours Per Week Spent With the Child:	41-60 hours	Cum. % ^a
		72.4

^a Cumulative percent derived from TSCYC normative sample caretaker reports of the number of nonsleeping hours per week spent with the child. The cumulative percent reflects the actual percentage of individuals in the standardization sample that scored at or below this value.

Missing Responses

Total Missing Responses: 1

TSCYC Validity Scales

Scale	Raw score	T score	%ile
Response Level (RL)	2	48	53
Atypical Response (ATR)	9	47	45


TSCYC Clinical Scales

Scale	Raw score	T score	%ile
Anxiety (ANX)	16 *	65	93
Depression (DEP)	13	60	89
Anger/Aggression (ANG)	23	68	93
Posttraumatic Stress-Intrusion (PTS-I)	12	62	89
Posttraumatic Stress-Avoidance (PTS-AV)	12	59	92
Posttraumatic Stress-Arousal (PTS-AR)	12	49	59
Posttraumatic Stress-Total (PTS-TOT)	36	55	82
Dissociation (DIS)	11	49	63
Sexual Concerns (SC)	15	110 [#]	≥ 99


Note. "*" indicates scale was calculated substituting "1" for missing response.

Note. "#" indicates T score is clinically significant.

TSCYC T-Score Profile



TSCYC Percentile Profile



TSCYC Item Responses

Item#	Response	Item#	Response	Item#	Response
1.	3	31.	1	61.	2
2.	2	32.	3	62.	2
3.	2	33.	1	63.	1
4.	1	34.	3	64.	1
5.	1	35.	2	65.	2
6.	3	36.	2	66.	2
7.	?	37.	1	67.	2
8.	1	38.	1	68.	1
9.	1	39.	1	69.	1
10.	3	40.	1	70.	2
11.	2	41.	1	71.	2
12.	2	42.	1	72.	2
13.	1	43.	3	73.	2
14.	1	44.	1	74.	1
15.	3	45.	1	75.	2
16.	1	46.	2	76.	1
17.	2	47.	1	77.	1
18.	2	48.	1	78.	1
19.	1	49.	1	79.	1
20.	1	50.	1	80.	1
21.	3	51.	1	81.	1
22.	2	52.	1	82.	1
23.	2	53.	1	83.	2
24.	1	54.	1	84.	1
25.	2	55.	2	85.	1
26.	1	56.	1	86.	2
27.	2	57.	3	87.	2
28.	1	58.	2	88.	1
29.	1	59.	1	89.	2
30.	1	60.	1	90.	3

Note. 1 = Not At All, 2 = Sometimes, 3 = Often, 4 = Very Often, ? = Missing.

End of Report