



## Iowa Gambling Task™ Version 2

### Score Report

by Antoine Bechara, PhD, and PAR Staff

**Client name:** Sample Client

**Client ID:** SC210

**Date of Test:** 11/28/2016

**Date of Birth:** 08/03/1969

**Age:** 47

**Sex:** Female

**Grade/Years of Education:** 16 years

**Race/Ethnicity:** Caucasian

**Test Description:** Normal

Use of this report requires a thorough understanding of the Iowa Gambling Task™, Version 2 (IGT™2), its interpretation, and clinical applications as presented in the IGT2 Professional Manual (Bechara, 2016). This report is intended for use by qualified professionals and is not to be shared with the examinee or any other unqualified persons.

**PAR** • 16204 North Florida Ave. • Lutz, FL 33549 • 1.800.331.8378 • [www.parinc.com](http://www.parinc.com)

Copyright ©1992, 1994, 2000, 2002, 2007, 2016 by Psychological Assessment Resources, Inc. All rights reserved. May not be reproduced in whole or in part in any form or by any means without written permission of PAR.

Version: 2.00 ( 2.00.039 )



This report reflects a standard computerized administration (i.e., 100 trials) of the IGT2. The normative scores that appear in this report were developed by Bechara (2016) and were based on a standardized 100-trial computerized administration. Users should refer to the IGT2 Professional Manual (Bechara, 2016) for the clinical interpretation of this score report. Clinical interpretation of the IGT2 requires professional training and expertise in clinical psychology and/or neuropsychology. The utility and validity of the IGT2 as a clinical measure is directly related to the professional's background knowledge, and, in particular, familiarity with the information contained in the IGT2 Professional Manual.

IGT2 results should be interpreted within the context of a larger clinical assessment battery and relevant clinical and historical information about this client. Additionally, use of IGT2 scores for clinical or diagnostic decisions should not be attempted without a thorough understanding of brain-behavior relationships and the medical and psychological factors that affect them. It is important to note that poor IGT2 scores do not automatically imply prefrontal cortex or, more specifically, orbitofrontal/ventromedial prefrontal cortex damage or dysfunction.



### IGT2 Score Summary Table

Score	Raw score	Demographically corrected		U.S. Census-matched	
		T score	%ile	T score	%ile
<b>NET TOTAL</b>	10	46	34	49	46
<b>NET 1</b>	2	56	73	59	82
<b>NET 2</b>	-2	43	24	44	27
<b>NET 3</b>	2	45	31	48	42
<b>NET 4</b>	2	45	31	48	42
<b>NET 5</b>	6	49	46	52	58
<b>Deck A'</b>	24		6-10		6-10
<b>Deck B'</b>	21		>16		>16
<b>Deck C'</b>	28		>16		>16
<b>Deck D'</b>	27		>16		>16
<b>Trials administered</b>	100				
<b>Total money</b>	\$-1575				

# IGT2 Raw Score Profile



# IGT2 Demographically Corrected T-Score Profile



## Trial-by-Trial Summary

<b>Trial</b>	<b>Deck</b>	<b>Win</b>	<b>Lose</b>	<b>Score</b>	<b>Borrow</b>	<b>Time (ms)</b>
1	B	100	0	2100	2000	0
2	C	50	0	2150	2000	2522
3	A	100	0	2250	2000	1843
4	A	120	0	2370	2000	991
5	B	80	0	2450	2000	3057
6	D	50	0	2500	2000	2976
7	A	80	150	2430	2000	1342
8	C	60	0	2490	2000	2353
9	C	40	50	2480	2000	614
10	C	55	0	2535	2000	2044
11	D	40	0	2575	2000	1230
12	C	55	50	2580	2000	2216
13	A	90	0	2670	2000	2744
14	B	110	0	2780	2000	2647
15	B	120	0	2900	2000	2300
16	C	45	0	2945	2000	3137
17	C	50	50	2945	2000	266
18	D	45	0	2990	2000	2562
19	B	90	0	3080	2000	2321
20	D	45	0	3125	2000	1016
21	B	100	0	3225	2000	2841
22	C	45	0	3270	2000	1219
23	D	55	0	3325	2000	2583
24	B	90	0	3415	2000	179
25	C	60	50	3425	2000	3109
26	B	120	0	3545	2000	486
27	B	110	1250	2405	2000	1017
28	C	40	50	2395	2000	1787
29	A	110	300	2205	2000	204
30	C	55	0	2260	2000	602
31	C	55	25	2290	2000	2490
32	A	100	0	2390	2000	336
33	B	80	0	2470	2000	2472
34	A	80	200	2350	2000	3090
35	D	60	0	2410	2000	2331
36	B	110	0	2520	2000	2066
37	D	40	0	2560	2000	486
38	A	120	0	2680	2000	971
39	D	55	0	2735	2000	2974
40	A	110	250	2595	2000	2256
41	C	65	75	2585	2000	770
42	C	45	0	2630	2000	1375
43	D	50	0	2680	2000	2392
44	A	90	350	2420	2000	3018
45	B	100	0	2520	2000	1653
46	D	60	250	2330	2000	1081
47	A	110	0	2440	2000	583
48	A	130	350	2220	2000	2642
49	D	55	0	2275	2000	2552
<b>Trial</b>	<b>Deck</b>	<b>Win</b>	<b>Lose</b>	<b>Score</b>	<b>Borrow</b>	<b>Time (ms)</b>

50	A	90	0	2365	2000	1507
51	C	70	25	2410	2000	1139
52	B	90	0	2500	2000	261
53	B	130	1500	1130	2000	1360
54	C	40	0	1170	2000	160
55	C	50	25	1195	2000	961
56	C	60	75	1180	2000	193
57	A	100	250	1030	2000	1266
58	B	120	0	1150	2000	3041
59	D	40	0	1190	2000	811
60	C	70	0	1260	2000	1471
61	A	120	200	1180	2000	1292
62	A	110	0	1290	2000	613
63	B	130	0	1420	2000	1266
64	D	60	0	1480	2000	785
65	D	40	0	1520	2000	2501
66	D	45	0	1565	2000	1094
67	D	55	0	1620	2000	1166
68	D	65	0	1685	2000	2052
69	B	110	0	1795	2000	1487
70	D	70	0	1865	2000	545
71	D	50	0	1915	2000	3190
72	D	70	275	1710	2000	1437
73	A	90	300	1500	2000	898
74	C	40	50	1490	2000	2540
75	C	60	0	1550	2000	2776
76	A	130	150	1530	2000	1182
77	A	120	250	1400	2000	1957
78	B	90	0	1490	2000	3085
79	D	60	0	1550	2000	1983
80	A	100	0	1650	2000	1227
81	B	100	0	1750	2000	1522
82	A	120	250	1620	2000	1305
83	C	65	25	1660	2000	3193
84	A	140	300	1500	2000	2699
85	D	55	0	1555	2000	2398
86	A	110	0	1665	2000	2473
87	D	65	0	1730	2000	2885
88	A	110	350	1490	2000	1507
89	C	55	0	1545	2000	2974
90	D	80	0	1625	2000	2013
91	B	120	0	1745	2000	1749
92	D	40	0	1785	2000	2066
93	B	120	1750	155	2000	1447
94	C	80	50	185	2000	998
95	C	40	25	200	2000	1168
96	D	80	0	280	2000	376
97	C	60	50	290	2000	1489
98	C	55	0	345	2000	1970
99	C	65	25	385	2000	2820
100	D	40	0	425	2000	981

**End of Report**